ELSEVIER

Hearing Research 180 (2003) 130

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 180

Abnet, C.C., see Freeman, D.M. (180) 1
Alagramam, K.N., see Hampton, L.L. (180) 67

Battey, J.F., see Hampton, L.L. (180) 67
Berggren, D., Liu, W., Frenz, D. and Van De Water, T.
Spontaneous hair-cell renewal following gentamicin exposure in postnatal rat utricular explants (180) 114

Cardell, E.L., see Dou, H. (180) 76
Choo, D., see Dou, H. (180) 76
Ciuffani, J., see Rüttiger, L. (180) 39
Collins, L.M., see Ferguson, W.D. (180) 101

Ding, D., Stracher, A. and Salvi, R.
Reply to R. Wubbels, "Hair cell density in mammalian vestibular end organs" (180) 128
Ding, D., Stracher, A. and Salvi, R.J.
Erratum to "Leupeptin protects cochlear and vestibular hair cells from gentamicin ototoxicity". [Hear. Res. 164 (2002) 115–126] (180) 129
Dou, H., Finberg, K., Cardell, E.L., Lifton, R. and Choo, D.
Mice lacking the B1 subunit of H^+-ATPase have normal hearing (180) 76

Eggermont, J.J., see Seki, S. (180) 28

Ferguson, W.D., Collins, L.M. and Smith, D.W.
Psychophysical threshold variability in cochlear implant subjects (180) 101
Finberg, K., see Dou, H. (180) 76
Freeman, D.M., Abnet, C.C., Hemmert, W., Tsai, B.S. and Weiss, T.F.
Dynamic material properties of the tectorial membrane: a summary (180) 1
Freeman, D.M., Masaki, K., McAllister, A.R., Wei, J.L. and Weiss, T.F.
Static material properties of the tectorial membrane: a summary (180) 11
Frenz, D., see Berggren, D. (180) 114

Hampton, L.L., Wright, C.G., Alagramam, K.N., Battey, J.F. and Noben-Trauth, K.
A new spontaneous mutation in the mouse Ames waltzer gene, *Pcdh15* (180) 67
Hara, A., see Tabuchi, K. (180) 51
Haruta, A., see Kimitsuki, T. (180) 85
Hemmert, W., see Freeman, D.M. (180) 1

Jenison, R.L., see Neelon, M.F. (180) 57

Kawano, K., see Kimitsuki, T. (180) 85
Kimitsuki, T., Kawano, K., Matsuda, K., Haruta, A., Nakajima, T. and Komune, S.
Potassium current properties in apical and basal inner hair cells from guinea-pig cochlea (180) 85
Knipper, M., see Rüttiger, L. (180) 39
Komune, S., see Kimitsuki, T. (180) 85

Lifton, R., see Dou, H. (180) 76
Liu, W., see Berggren, D. (180) 114

Masaki, K., see Freeman, D.M. (180) 11
Matsuda, K., see Kimitsuki, T. (180) 85
McAllister, A.R., see Freeman, D.M. (180) 11

Nakajima, T., see Kimitsuki, T. (180) 85
Neelon, M.F. and Jenison, R.L.
The effect of trajectory on the auditory motion aftereffect (180) 57
Noben-Trauth, K., see Hampton, L.L. (180) 67
Nuttall, A.L., see Zou, Y. (180) 91

Oikawa, K., see Tabuchi, K. (180) 51

Ren, T., see Zou, Y. (180) 91
Rüttiger, L., Ciuffani, J., Zenner, H.-P. and Knipper, M.
A behavioral paradigm to judge acute sodium salicylate-induced sound experience in rats: a new approach for an animal model on tinnitus (180) 39

Salvi, R., see Ding, D. (180) 128
Salvi, R.J., see Ding, D. (180) 129
Seki, S. and Eggermont, J.J.
Changes in spontaneous firing rate and neural synchrony in cat primary auditory cortex after localized tone-induced hearing loss (180) 28
Smith, D.W., see Ferguson, W.D. (180) 101
Stracher, A., see Ding, D. (180) 128
Stracher, A., see Ding, D. (180) 129

Tabuchi, K., Oikawa, K., Uemaetomari, I., Tsuji, S., Wada, T. and Hara, A.
Glucocorticoids and dehydroepiandrosterone sulfate ameliorate ischemia-induced injury of the cochlea (180) 51
Tsai, B.S., see Freeman, D.M. (180) 1
Tsuji, S., see Tabuchi, K. (180) 51

Uemaetomari, I., see Tabuchi, K. (180) 51

Van De Water, T., see Berggren, D. (180) 114

Wada, T., see Tabuchi, K. (180) 51
Wei, J.L., see Freeman, D.M. (180) 11
Weiss, T.F., see Freeman, D.M. (180) 1
Weiss, T.F., see Freeman, D.M. (180) 11
Wright, C.G., see Hampton, L.L. (180) 67
Wubbels, R.J.
Hair cell density in mammalian vestibular end organs (180) 126

Zenner, H.-P., see Rüttiger, L. (180) 39
Zheng, J., see Zou, Y. (180) 91
Zou, Y., Zheng, J., Nuttall, A.L. and Ren, T.
The sources of electrically evoked otoacoustic emissions (180) 91

doi:10.1016/S0378-5955(03)00149-7

ELSEVIER

Hearing Research 180 (2003) 130

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 180

Abnet, C.C., see Freeman, D.M. (180) 1
Alagramam, K.N., see Hampton, L.L. (180) 67

Battey, J.F., see Hampton, L.L. (180) 67
Berggren, D., Liu, W., Frenz, D. and Van De Water, T.
Spontaneous hair-cell renewal following gentamicin exposure in postnatal rat utricular explants (180) 114

Cardell, E.L., see Dou, H. (180) 76
Choo, D., see Dou, H. (180) 76
Ciuffani, J., see Rüttiger, L. (180) 39
Collins, L.M., see Ferguson, W.D. (180) 101

Ding, D., Stracher, A. and Salvi, R.
Reply to R. Wubbels, "Hair cell density in mammalian vestibular end organs" (180) 128
Ding, D., Stracher, A. and Salvi, R.J.
Erratum to "Leupeptin protects cochlear and vestibular hair cells from gentamicin ototoxicity". [Hear. Res. 164 (2002) 115–126] (180) 129
Dou, H., Finberg, K., Cardell, E.L., Lifton, R. and Choo, D.
Mice lacking the B1 subunit of H^+-ATPase have normal hearing (180) 76

Eggermont, J.J., see Seki, S. (180) 28

Ferguson, W.D., Collins, L.M. and Smith, D.W.
Psychophysical threshold variability in cochlear implant subjects (180) 101
Finberg, K., see Dou, H. (180) 76
Freeman, D.M., Abnet, C.C., Hemmert, W., Tsai, B.S. and Weiss, T.F.
Dynamic material properties of the tectorial membrane: a summary (180) 1
Freeman, D.M., Masaki, K., McAllister, A.R., Wei, J.L. and Weiss, T.F.
Static material properties of the tectorial membrane: a summary (180) 11
Frenz, D., see Berggren, D. (180) 114

Hampton, L.L., Wright, C.G., Alagramam, K.N., Battey, J.F. and Noben-Trauth, K.
A new spontaneous mutation in the mouse Ames waltzer gene, *Pcdh15* (180) 67
Hara, A., see Tabuchi, K. (180) 51
Haruta, A., see Kimitsuki, T. (180) 85
Hemmert, W., see Freeman, D.M. (180) 1

Jenison, R.L., see Neelon, M.F. (180) 57

Kawano, K., see Kimitsuki, T. (180) 85
Kimitsuki, T., Kawano, K., Matsuda, K., Haruta, A., Nakajima, T. and Komune, S.
Potassium current properties in apical and basal inner hair cells from guinea-pig cochlea (180) 85
Knipper, M., see Rüttiger, L. (180) 39
Komune, S., see Kimitsuki, T. (180) 85

Lifton, R., see Dou, H. (180) 76
Liu, W., see Berggren, D. (180) 114

Masaki, K., see Freeman, D.M. (180) 11
Matsuda, K., see Kimitsuki, T. (180) 85
McAllister, A.R., see Freeman, D.M. (180) 11

Nakajima, T., see Kimitsuki, T. (180) 85
Neelon, M.F. and Jenison, R.L.
The effect of trajectory on the auditory motion aftereffect (180) 57
Noben-Trauth, K., see Hampton, L.L. (180) 67
Nuttall, A.L., see Zou, Y. (180) 91

Oikawa, K., see Tabuchi, K. (180) 51

Ren, T., see Zou, Y. (180) 91
Rüttiger, L., Ciuffani, J., Zenner, H.-P. and Knipper, M.
A behavioral paradigm to judge acute sodium salicylate-induced sound experience in rats: a new approach for an animal model on tinnitus (180) 39

Salvi, R., see Ding, D. (180) 128
Salvi, R.J., see Ding, D. (180) 129
Seki, S. and Eggermont, J.J.
Changes in spontaneous firing rate and neural synchrony in cat primary auditory cortex after localized tone-induced hearing loss (180) 28
Smith, D.W., see Ferguson, W.D. (180) 101
Stracher, A., see Ding, D. (180) 128
Stracher, A., see Ding, D. (180) 129

Tabuchi, K., Oikawa, K., Uemaetomari, I., Tsuji, S., Wada, T. and Hara, A.
Glucocorticoids and dehydroepiandrosterone sulfate ameliorate ischemia-induced injury of the cochlea (180) 51
Tsai, B.S., see Freeman, D.M. (180) 1
Tsuji, S., see Tabuchi, K. (180) 51

Uemaetomari, I., see Tabuchi, K. (180) 51

Van De Water, T., see Berggren, D. (180) 114

Wada, T., see Tabuchi, K. (180) 51
Wei, J.L., see Freeman, D.M. (180) 11
Weiss, T.F., see Freeman, D.M. (180) 1
Weiss, T.F., see Freeman, D.M. (180) 11
Wright, C.G., see Hampton, L.L. (180) 67
Wubbels, R.J.
Hair cell density in mammalian vestibular end organs (180) 126

Zenner, H.-P., see Rüttiger, L. (180) 39
Zheng, J., see Zou, Y. (180) 91
Zou, Y., Zheng, J., Nuttall, A.L. and Ren, T.
The sources of electrically evoked otoacoustic emissions (180) 91

doi:10.1016/S0378-5955(03)00149-7

ELSEVIER

Hearing Research 180 (2003) 131–133

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 180

Adaptation
Auditory motion; Motion aftereffect; Amplitude modulation; Frequency modulation; Binaural (Neelon, M.F. (180) 57)

Ames waltzer
Deafness; Protocadherin 15 (*Pcdh15*) (Hampton, L.L. (180) 67)

Aminoglycoside
In vitro model; Vestibular hair-cell renewal; Mitotic activity (Berggren, D. (180) 114)

Amplitude modulation
Auditory motion; Adaptation; Motion aftereffect; Frequency modulation; Binaural (Neelon, M.F. (180) 57)

Animal model
Tinnitus; Operant behavior; Sound experience; Rat; Salicylate (Rüttiger, L. (180) 39)

Auditory brainstem response
Distal renal tubular acidosis; H^+-ATPase B1 subunit; Mouse inner ear; Sensorineural hearing loss; In situ hybridization (Dou, H. (180) 76)

Auditory motion
Adaptation; Motion aftereffect; Amplitude modulation; Frequency modulation; Binaural (Neelon, M.F. (180) 57)

Binaural
Auditory motion; Adaptation; Motion aftereffect; Amplitude modulation; Frequency modulation (Neelon, M.F. (180) 57)

Bulk modulus
Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Cat
Cortex; Noise trauma; Reorganization; Spontaneous activity; Cross-correlation; Tinnitus (Seki, S. (180) 28)

Cochlear implant; Psychophysics; Threshold; Phase duration; Human (Ferguson, W.D. (180) 101)

Characteristic frequency
Electrical stimulation; Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Gerbil (Zou, Y. (180) 91)

Cochlea
Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Ischemia; Glucocorticoid; Dehydroepiandrosterone; Neurosteroid; Idiopathic sudden sensorineural hearing loss (Tabuchi, K. (180) 51)

Inner hair cell; Potassium current; Tetraethylammonium; Tonotopic (Kimitsuki, T. (180) 85)

Electrical stimulation; Otoacoustic emission; Electrically evoked otoacoustic emission; Characteristic frequency; Gerbil (Zou, Y. (180) 91)

Cochlear implant
Psychophysics; Threshold; Phase duration; Human; Cat (Ferguson, W.D. (180) 101)

Connective tissue
Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Cortex
Cat; Noise trauma; Reorganization; Spontaneous activity; Cross-correlation; Tinnitus (Seki, S. (180) 28)

Cross-correlation
Cat; Cortex; Noise trauma; Reorganization; Spontaneous activity; Tinnitus (Seki, S. (180) 28)

Deafness
Ames waltzer; Protocadherin 15 (*Pcdh15*) (Hampton, L.L. (180) 67)

doi:10.1016/S0378-5955(03)00150-3

Dehydroepiandrosterone
Cochlea; Ischemia; Glucocorticoid; Neurosteroid; Idiopathic sudden sensorineural hearing loss (Tabuchi, K. (180) 51)

Distal renal tubular acidosis
H^+-ATPase B1 subunit; Auditory brainstem response; Mouse inner ear; Sensorineural hearing loss; In situ hybridization (Dou, H. (180) 76)

Electrical stimulation
Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Characteristic frequency; Gerbil (Zou, Y. (180) 91)

Electrically evoked otoacoustic emission
Electrical stimulation; Cochlea; Otoacoustic emission; Characteristic frequency; Gerbil (Zou, Y. (180) 91)

Fixed charge
Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Frequency modulation
Auditory motion; Adaptation; Motion aftereffect; Amplitude modulation; Binaural (Neelon, M.F. (180) 57)

Gerbil
Electrical stimulation; Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Characteristic frequency (Zou, Y. (180) 91)

Glucocorticoid
Cochlea; Ischemia; Dehydroepiandrosterone; Neurosteroid; Idiopathic sudden sensorineural hearing loss (Tabuchi, K. (180) 51)

H^+-ATPase B1 subunit
Distal renal tubular acidosis; Auditory brainstem response; Mouse inner ear; Sensorineural hearing loss; In situ hybridization (Dou, H. (180) 76)

Human
Cochlear implant; Psychophysics; Threshold; Phase duration; Cat (Ferguson, W.D. (180) 101)

Idiopathic sudden sensorineural hearing loss
Cochlea; Ischemia; Glucocorticoid; Dehydroepiandrosterone; Neurosteroid (Tabuchi, K. (180) 51)

In situ hybridization
Distal renal tubular acidosis; H^+-ATPase B1 subunit; Auditory brainstem response; Mouse inner ear; Sensorineural hearing loss (Dou, H. (180) 76)

In vitro model
Aminoglycoside; Vestibular hair-cell renewal; Mitotic activity (Berggren, D. (180) 114)

Inner hair cell
Cochlea; Potassium current; Tetraethylammonium; Tonotopic (Kimitsuki, T. (180) 85)

Ischemia
Cochlea; Glucocorticoid; Dehydroepiandrosterone; Neurosteroid; Idiopathic sudden sensorineural hearing loss (Tabuchi, K. (180) 51)

Macromechanics
Cochlea; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Material properties
Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance (Freeman, D.M. (180) 11)

Material property
Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance (Freeman, D.M. (180) 1)

Micromechanics
Cochlea; Macromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Mitotic activity
In vitro model; Aminoglycoside; Vestibular hair-cell renewal (Berggren, D. (180) 114)

Motion aftereffect
Auditory motion; Adaptation; Amplitude modulation; Frequency modulation; Binaural (Neelon, M.F. (180) 57)

Mouse inner ear
Distal renal tubular acidosis; H^+-ATPase B1 subunit; Auditory brainstem response; Sensorineural hearing loss; In situ hybridization (Dou, H. (180) 76)

Neurosteroid
Cochlea; Ischemia; Glucocorticoid; Dehydroepiandrosterone; Idiopathic sudden sensorineural hearing loss (Tabuchi, K. (180) 51)

Noise trauma
Cat; Cortex; Reorganization; Spontaneous activity; Cross-correlation; Tinnitus (Seki, S. (180) 28)

Operant behavior
Animal model; Tinnitus; Sound experience; Rat; Salicylate (Rüttiger, L. (180) 39)

Osmotic response
Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Otoacoustic emission

Electrical stimulation; Cochlea; Electrically evoked otoacoustic emission; Characteristic frequency; Gerbil (Zou, Y. (180) 91)

Phase duration

Cochlear implant; Psychophysics; Threshold; Human; Cat (Ferguson, W.D. (180) 101)

Point impedance

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Material properties (Freeman, D.M. (180) 11)

Polyelectrolyte gel

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Potassium current

Cochlea; Inner hair cell; Tetraethylammonium; Tonotopic (Kimitsuki, T. (180) 85)

Protocadherin 15 (*Pcdh15*)

Deafness; Ames waltzer (Hampton, L.L. (180) 67)

Psychophysics

Cochlear implant; Threshold; Phase duration; Human; Cat (Ferguson, W.D. (180) 101)

Rat

Animal model; Tinnitus; Operant behavior; Sound experience; Salicylate (Rüttiger, L. (180) 39)

Reorganization

Cat; Cortex; Noise trauma; Spontaneous activity; Cross-correlation; Tinnitus (Seki, S. (180) 28)

Salicylate

Animal model; Tinnitus; Operant behavior; Sound experience; Rat (Rüttiger, L. (180) 39)

Sensorineural hearing loss

Distal renal tubular acidosis; H^+-ATPase B1 subunit; Auditory brainstem response; Mouse inner ear; In situ hybridization (Dou, H. (180) 76)

Sound experience

Animal model; Tinnitus; Operant behavior; Rat; Salicylate (Rüttiger, L. (180) 39)

Spontaneous activity

Cat; Cortex; Noise trauma; Reorganization; Cross-correlation; Tinnitus (Seki, S. (180) 28)

Stiffness

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Point impedance; Material properties (Freeman, D.M. (180) 11)

Tectorial membrane

Cochlea; Macromechanics; Micromechanics; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Viscoelastic; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)

Tetraethylammonium

Cochlea; Inner hair cell; Potassium current; Tonotopic (Kimitsuki, T. (180) 85)

Threshold

Cochlear implant; Psychophysics; Phase duration; Human; Cat (Ferguson, W.D. (180) 101)

Tinnitus

Cat; Cortex; Noise trauma; Reorganization; Spontaneous activity; Cross-correlation (Seki, S. (180) 28)

Animal model; Operant behavior; Sound experience; Rat; Salicylate (Rüttiger, L. (180) 39)

Tonotopic

Cochlea; Inner hair cell; Potassium current; Tetraethylammonium (Kimitsuki, T. (180) 85)

Vestibular hair-cell renewal

In vitro model; Aminoglycoside; Mitotic activity (Berggren, D. (180) 114)

Viscoelastic

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Connective tissue; Stiffness; Point impedance; Material property (Freeman, D.M. (180) 1)

Cochlea; Macromechanics; Micromechanics; Tectorial membrane; Osmotic response; Polyelectrolyte gel; Fixed charge; Bulk modulus; Connective tissue; Stiffness; Point impedance; Material properties (Freeman, D.M. (180) 11)